



**GENERAL PRODUCT SPECIFICATION**

<b>Item No.</b>	<b>RFP328DP</b>
-----------------	-----------------

<b>Date</b>	16-6-2017	<b>Replaces</b>	17-10-08	<b>No. Pages</b>	1
-------------	-----------	-----------------	----------	------------------	---

**Product Description:**

<b>Style</b>	Blanket Roll; perforated at the center and every 48 cm for single or multiple/variable length pads
<b>Item Size (each)</b>	72 cm x 45,7 m
<b>Color</b>	Off-white
<b>Composition</b>	99% cellulose 1% spunbond
<b>Structure</b>	2-ply – Non-woven mat of randomly oriented cellulose fibers
<b>Absorbency</b>	Hydrophilic + Oleophilic
<b>Bonding</b>	Mechanical entanglement

<b>Intended Application</b>	Sorbent for Water, Oil, or Solvent Base Liquids
-----------------------------	---

<b>Absorbency Capacity</b>	207 l per bale (saturated; medium viscosity-15.5x)
----------------------------	--

**Packaging Description:**

Package configuration	1-Case	Pkg. Weight	12.5 kg (11.5 kg)
Items per Package	1 Roll/Case	Pkg. Dimensions	60 cm x 60 cm x 74 cm (H)
Container type	Carton		

**Physical Properties;**

<u>Parameter</u>	<u>SPC Test Method</u>	<u>Units</u>	<u>Nominal</u>	<u>(+/-)Tolerance</u>
Basis Weight	SPCTM-002A	G/M2	350	35
Caliper	SPCTM-020	mm	5.1	0.5
Absorbency** (med. Oil)	SPCTM-004B	gL/gS	15.5	1.6
Tensile Strength	SPCTM-007	daN	11	1.1
Color	Visual	-----	Off-white	per standard

**The above properties are “nominal” values used for PROCESS CONTROL when the product is produced and/or inspected. Performance “nominals” may vary depending upon the specific application, and/or the environment being applied, stored, or shipped.**

**\*\* The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.**

<b>Attributes</b>	Product will be free of foreign material contamination, rips, holes, and tears.
<b>Labeling</b>	Each package to be clearly labeled with Company Name, Address, Item No., Date, and/or Package Code (Bar Code).
<b>Certification</b>	Make no changes in basic process or composition without notifying customer. Claims for non-conformance of goods must be made within 60-days of delivery.